

Dishwasher

DFI565

50 series
Noise level (max): 40 dB(A)
Number of place settings: 16 pcs
Number of racks: 3
Upper rack type: Exclusive, all tines are foldable, divisble/foldable wine shelves, Light Lock™ for fastening lightweight items
Size: XL
Turbo Combi Drying™ ensures dry dishes with fan assisted evacuation of moisture in combination with Auto Door Opening
ADA Compliant: Yes
Automatic dosing system: No
Installation: Panel ready

ENERGY GUIDE
Click for this product's energy information.

ADA COMPLIANCE
AMERICANS WITH DISABILITIES ACT

ENERGY STAR
Most Efficient 2025
www.energystar.gov

Construction and performance
- 8 Steel™ - Vital parts of the dishwasher made in stainless steel: Yes
- No need to rinse the dishes thanks to Super Cleaning System™: Yes
- Automatic water-softener for better washing performance: No
- Number of spray arms: 3 pcs
- Number of spray zones: 9
- Cleaning systems: Cutlery Spray™ - Extra dishwashing power for the cutlery basket, No need to rinse the dishes thanks to Super Cleaning System™, Aqua Level™ Sensor, Sensi Clean™ Sensor - measures dirtiness level, Stainless steel spray arms, Adjustable power zones that can be set for cleaning Pots & Pans or Bottles & Vases. Can also be turned off., The water pressure is adapted depending on program, type of dishes and dirtiness level.

Use and flexibility
- Number of place settings: 16 pcs
- Number of racks: 3
- Top tray: Easy height adjustment, With telescopic rails, Handle, Removable, Guide rails with ball bearings
- Upper rack type: Exclusive, all tines are foldable, divisble/foldable wine shelves, Light Lock™ for fastening lightweight items
- Upper basket system: Easy height adjustable with lever
- Upper basket: Dividable pin rows, Wine glass fixings in TPE, Sliding tines for easy adaptation to stone ware etc., Perfect ergonomy with easy sliding telescopic rails, Light Lock™ for fastening lightweight items, China Guard - Protects fragile load from the rotating spray arm, Extra wide knife stand, Two foldable glass supports, Divisble/foldable wine shelves to left, Foldable wine shelves to right, Handle with ASKO logo, Small distance between the basket threads - makes loading easy and prevents small items to fall through
- Middle basket: Without middle basket
- Lower rack type: Exclusive
- Lower rack: Sliding tines for easy adaptation to stone ware etc., Cutlery basket, Vase/bottle holder for cleaning vases/baby bottles, Foldable/divisible front pin row, Foldable/divisible rear pin row, Handle with ASKO logo, Small distance between the basket threads - makes loading easy and prevents small items to fall through.
- Automatic dosing system: No
- Interior light: Yes, 2 LED lights

Interaction and control
- Wifi: Yes
- Type of display: LCD display

• Status Light™ - Visual indication of dishwashing progress: Yes, spot on floor
• Remaining time indication: Yes
• Wash end indication: Displayed with sound and light
• Language settings: Chinese simpified, Chinese traditional, Swedish, Slovenian, Slovak, Russian, Portuguese, Polish, Norwegian, Dutch, Latvian, Lithuanian, Japanese, Italian, Croatian, French, Finnish, Estonian, Spanish, English, German, Danish, Czech, Ukrainian

Functions, programs and modes
• Programs: Anti odour, Sanitize, Self cleaning, Quick Pro wash, Rinse and hold programme, Time program, Standard, Auto wash, Intensive program
• Delayed start: Possible to delay up to 24 hours
• Options and modes: Heat Boost Mode, Sensor controlled door opening - Optimizes the drying process according to the room temperature, Night mode - Lower noise level. The program time is extended., Speed mode - The program time is shortened. More energy is used., Green mode - Less energy and water is used. The program time is extended, Time set, Super Rinse™ - Two extra rinses, Enable/disable automatic door opening, Light sabbath mode

Design and integration
• From the front adjustable door spring: Yes
• From front adjustable rear foot: Yes
• Installation: Velcro strips for easy mounting and adjustment of the separate custom door, Multi fit outlet hose, Integrated anti-siphon - Prevents spontaneous in- and outlet of water and simplifies elevated installation, Trim kit, Steam protection strip
• Sliding door: No
• Possible to install elevated: Yes
• Custom door size: Custom door size 680-760
• Min. niche width: 24 ''
• Min. niche height: 32 5/16 ''
• Depth (incl. wall spacing): 21 7/8 ''
• Max Height adjustment: 2 1/16 ''
• Adjustable kick plate: 30-94/0

Safety and maintenance
• Aqua Safe™: Anti Block™ - Self cleaning drain pump, Light and sound alarm, Maximum time for water intake, Extra durable PEX inlet hose, Stand-by water protecion - Leakage detection when machine is off, Aqua Level™ Sensor - Ensures an optimized water level, Aqua Detect™ - Instant recognition of any leakage in the motor compartment, Detection of water leakage on the bottom plate, Waterproof bottom plate, Extra durable stainless steel container, Sealing points outside container
• Aqua Safe™ system: Yes
• Child safety: Kid Safe™ - Lockable controls
• Indication of low level of rinse-aid: Notification in display

Technical data
• Water connection: Hot or cold
• Adapter for water connection: No
• Max. temperature of inflow water: 140 °F
• Noise level (max): 40 dB(A)
• Reference programme: 1
• Duration of standard programme: 125 min
• Estimated yearly energy consumption: 220 kWh
• Energy consumption - normal program: 1 kWh
• Estimated annual water consumption: 647.5 gal
• Water consumption: 3 gal
• Power consumption in standby mode: 0.5 W
• Plug type: USA
• Connected load: 1300 W
• Voltage (V): 120 V
• Number of phases: 1
• Fuse: 15 A
• Frequency: 60 Hz
• Required inlet water pressure psi: 0,03-1
• Net weight: 92.6 lb

Dimensions

- Width: 23 15/16 ''
- Height: 32 1/4 ''
- Depth: 21 13/16 ''
- Maximum product height: 34 5/16 ''
- Length of electrical cord: 71 7/16 ''
- Depth with door open: 46 7/8 ''
- Length inlet hose: 64 3/16 ''
- Length outlet hose: 90 9/16 ''

Logistic information

- Packaging width: 25 3/16 ''
- Packaging height: 35 1/16 ''
- Packaging depth: 26 3/4 ''
- Gross weight: 99.2 lb
- Product code: 740101
- EAN code: 3838782628436







