AGA



THE

AGA HOOD

COLLECTION

THE AGA HOOD COLLECTION BY TRADE-WIND

ELEGANT & POWERFUL

AGA rangehoods provide optimal ventilation and style to any kitchen. Available in 4 stunning designs,

14 expressive colors, 5 exquisite trim options and in both 36" and 48" models.

THE AGA CASCADE HOOD

Style : *Concave* / ***Model :*** *AH3630CAC (36"), AH4830CAC (48")*



Hood also available without Banding

Product Dimensions:

Hood Width x Depth x Height

36"W x 24"D x 30"H (600 cfm/8" collar)
48"W x 24"D x 30"H (1200 cfm/10" collar)

Duct Cover Options

12", 24" and 48" Tall

Custom Duct Cover heights are available

Product Weight:

36"(30"H) : 97 lbs
48"(30"H) : 124 lbs

Hood Sone Level:

Ranges from 5-7

Electrical Requirements:

600 CFM models draw approx. 2.7 Amps
1200 CFM models draw approx. 5.4 Amps

THE AGA EUCLID HOOD

Style : *Trapezoid* / ***Model :*** *AH3630EUC (36"), AH4830EUC (48")*



Product Dimensions:

Hood Width x Depth x Height

36"W x 24"D x 30"H (600 cfm/8" collar)
48"W x 24"D x 30"H (1200 cfm/10" collar)

Duct Cover Options

12", 24" and 48" Tall

Custom Duct Cover heights are available

Product Weight:

36"(30"H) : 98 lbs
48"(30"H) : 126 lbs

Hood Sone Level:

Ranges from 5-7

Electrical Requirements:

600 CFM models draw approx. 2.7 Amps
1200 CFM models draw approx. 5.4 Amps

THE AGA MARQUEE HOOD

Style : *Arched Front* / ***Model :*** *AH3630MRQ (36"), AH4830MRQ (48")*



Product Dimensions:

Hood Width x Depth x Height

36"W x 24"D x 30"H (600 cfm/8" collar)
48"W x 24"D x 30"H (1200 cfm/10" collar)

Duct Cover Options

12", 24" and 48" Tall

Custom Duct Cover heights are available

Product Weight:

36"(30"H) : 101 lbs
48"(30"H) : 126 lbs

Hood Sone Level:

Ranges from 5-7

Electrical Requirements:

600 CFM models draw approx. 2.7 Amps
1200 CFM models draw approx. 5.4 Amps

THE AGA LOGE HOOD

Style : *Box* / ***Model :*** *AH3630LGE (36"), AH4830LGE (48")*



Product Dimensions:

Hood Width x Depth x Height

36”W x 24”D x 30”H, 42”H or 54”H (600 cfm/8” collar)
48”W x 24”D x 30”H, 42”H or 54”H (1200 cfm/10” collar)

Product Weight:

36”(30”H) : 104 lbs / 36”(42”H) : 122 lbs / 36”(54”H) : 141 lbs
48”(30”H) : 130 lbs / 48”(42”H) : 151 lbs / 48”(54”H) : 172 lbs

Electrical Requirements:

600 CFM models draw approx. 2.7 Amps
1200 CFM models draw approx. 5.4 Amps

Hood Sone Level:

Ranges from 5-7

COLOR AND TRIM FINISH OPTIONS

CLASSIC COLOR COLLECTION

Stainless Steel (SS) · **Matte Black** (MBL) · **White** (WHT) · **Gloss Black** (BLK) · **Indigo** (IND) · **Cornwall Green** (CWG)

SOHO COLOR COLLECTION

Slate (SLT) · **Stone Blue** (STB) · **Mineral Green** (MG) · **Carnaby Blue** (CBB) · **Fawn** (FWN) · **Piccadilly Red** (PCR) · **Salcombe Blue** (SAL) · **Cranberry** (CNB)

TRIM FINISH OPTIONS

Brushed Nickel (BN) · **Polished Chrome** (PC) · **Brushed Brass** (BB) · **Polished Brass** (PB) · **Antique Brass** (AB)

NOTE: *Due to global sourcing, paint and / or trim may have minor variations*

THE

AGA HOOD

COLLECTION

QUIET OPERATION

Large 3 speed blower operates at lower RPM reducing the sound level.

LIGHTING

Bright LED lighting offers natural looking, 3000K color spectrum.
The 36" hood features 2 lights, the 48" hood features 3 lights.

EASE OF OPERATION

Electronic touch controls for 3 speed blower and LED lights.

EASY CLEANING

Dishwasher safe, commercial style baffle filters for effectively removing airborne contaminants. Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning.

FLEXIBLE INSTALLATION

Mounting bars at top and bottom allow for attaching to stud supports. Open top and back design for centered duct location or offset top duct and/or rear offset discharge.

ENERGY EFFICIENT OPERATION

LED light bulbs draw only 6 watts each and energy efficient motors draw only 2.5 amps.

www.AGArangeusa.com

UPDATED NOVEMBER 2023